

PLANT NUTRIENTS

# Sulf-N<sup>®</sup> Ammonium Sulfate

Soluble, Standard, Mid- and Granular Grades – Treated

Respective Specification Numbers:  
630-01300, 630-01001, 630-01100,  
630-01205

## Product Specification

**FORMULA:** (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>

**MOLECULAR WEIGHT:** 132.14

Parameters	Value	Test Method
Ammonia Nitrogen (as N), %	21 min.	QAAMSU-0001
Sulfur (as S), %	24 min.	QAAMSU-0002
Free Acidity (as H <sub>2</sub> SO <sub>4</sub> ), %	0.1 max.	QAAMSU-0003
Moisture + Anticaking Agent, % (Mid- and Granular Grades Only)	1.0 max.	QAAMSU-0006
Moisture, % (Soluble and Standard Grades Only)	0.5 max.	QAAMSU-0004
Size Guide Number (SGN; Granular Grade Only)	200 min.	QAAMSU-0007
Size Guide Number (Mid-Grade Only)	140 min.	QAAMSU-0007

### Typical Particle Size Distribution (PSD): Soluble and Standard Grades

Soluble Grade			Standard Grade			Test Method
Parameters	Average	Range	Parameters	Average	Range	
% Cumulative On: Tyler No.			% Cumulative On: Tyler No.			QAAMSU-0007
6	0	0-0	6	0.4	0-5	
12	1	0-5	10	21	5-40	
14	14	5-25	12	40	15-65	
16	40	20-60	14	59	30-85	
24	73	50-90	24	88	70-100	
35	92	85-100	35	96	85-100	
-35	8	0-15	65	99	95-100	
Average SGN	91	70-110	Average SGN	128	90-160	
Average Uniformity Index (UI)	27	23-31	Average UI	22	10-40	
Average Bulk Density, lb/ft <sup>3</sup>	64	62-66	Average Bulk Density, lb/ft <sup>3</sup>	65	62-68	QAAMSU-0012

Note: Typical range represents ± 2 standard deviations. PSD is not a product release specification. Specification values shown are those at time of shipment as determined by test methods cited. The information contained herein is believed reliable, but no warranty is given.

Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

### Typical PSD: Mid-Grade and Granular Grades

Mid-Grade			Granular Grade			Test Method
Parameters	Average	Range	Parameters	Average	Range	
<b>% Cumulative On: Tyler No.</b>			<b>% Cumulative On: Tyler No.</b>			QAAMSU-0007
<b>6</b>	0	0-1	<b>6</b>	11	0-25	
<b>8</b>	1	0-3	<b>8</b>	47	15-75	
<b>9</b>	5	0-12	<b>9</b>	74	50-95	
<b>10</b>	28	10-50	<b>10</b>	90	75-100	
<b>12</b>	74	60-90	<b>12</b>	97	90-100	
<b>14</b>	94	85-100	<b>14</b>	99	95-100	
<b>16</b>	98	95-100				
<b>Average SGN</b>	156	140-165	<b>Average SGN</b>	235	200-280	
<b>Average UI</b>	60	50-65	<b>Average UI</b>	48	35-55	
<b>Average Bulk Density, lb/ft<sup>3</sup></b>	65	63-67	<b>Average Bulk Density, lb/ft<sup>3</sup></b>	65	63-67	QAAMSU-0012

*Note: Typical range represents  $\pm 2$  standard deviations. PSD is not a product release specification. Specification values shown are those at time of shipment as determined by test methods cited. The information contained herein is believed reliable, but no warranty is given.*

#### Contact AdvanSix

To learn more about the benefits of Sulf-N® Ammonium Sulfate, visit [AdvanSix.com](http://AdvanSix.com) or [SulfN.com](http://SulfN.com) or call: **1-844-890-8949** (toll free, U.S./Can.) **+1-973-526-1800** (international)

**AdvanSix**  
300 Kimball Drive, Suite 101  
Parsippany, NJ 07054



**AdvanSix Caring™**

Sulf-N® is a registered trademark of AdvanSix Inc.  
December 2017-8, Printed in U.S.A.  
©2017 AdvanSix Inc. All rights reserved.



Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.