

## PLANT NUTRIENTS

**Sulf-N<sup>®</sup> Ammonium Sulfate Solution**

8-0-0-9S

**Product Information**

To prepare one ton of 8-0-0-9S, add 762 Lbs. of dry Sulf-N<sup>®</sup> ammonium sulfate to 1,238 Lbs. of water (149 gallons) and mix until product is dissolved. Mixing time for a 10-ton batch takes between 15 and 30 minutes, depending on agitation and water temperature.

**Procedure:**

1. Slowly add Sulf-N<sup>®</sup> into a liquid mix tank containing the proper amount of water being agitated (a return circulation line located on the bottom of the mix tank is often adequate).
2. To adjust the final pH of the solution to near neutral, add a 0.1% concentration of aqua (2 gallons of aqua ammonia (21%N) or equivalent amount of anhydrous ammonia for every 10-ton batch).
3. When storing Sulf-N<sup>®</sup> Solution in mild steel or thin-wall aluminum tanks, add 1 gallon of ammonium polyphosphate (11-37-0 or 10-34-0) to every 10-ton batch as a corrosion inhibitor (not needed when using plastic or stainless steel tanks).
4. To remove any insolubles or contaminates, pump dissolved solution through a 100-micron filter to intercept any foreign particles.

**Conversion factors and physical characteristics of 8-0-0-9S:**

- 1 ton of dry Sulf-N<sup>®</sup> will produce 2.63 tons or 519 gallons of 8-0-0-9S.
- 1 ton of 8-0-0-9S consists of 197 gallons.
- 1 gallon of 8-0-0-9S weights approximately 10.14 lbs.
- Salt out temperature of 8-0-0-9 solution (38% ammonium sulfate) is 15°F.
- Amber color solution

Sulf-N<sup>®</sup> Solution can be mixed with UAN liquid nitrogen for production of an economical nitrogen and sulfur solution. Please refer to the *Sulf-N<sup>®</sup> Liquid Formulation Guide* for a list of common liquid grades.

**Contact AdvanSix**

To learn more about the benefits of Sulf-N<sup>®</sup> Ammonium Sulfate, visit [AdvanSix.com](http://AdvanSix.com) or [SulfN.com](http://SulfN.com) or call: **1-844-890-8949** (toll free, U.S./Can.) **+1-973-526-1800** (international)

**AdvanSix**  
300 Kimball Drive, Suite 101  
Parsippany, NJ 07054

Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

**AdvanSix Caring™**

Sulf-N<sup>®</sup> is a registered trademark of AdvanSix Inc.  
December 2017-2, Printed in U.S.A.  
©2017 AdvanSix Inc. All rights reserved.