

# Acetone Low Water Grade

## Description

**Acetone Low Water Grade** (also known as dimethyl ketone and 2-propanone) is a clear, colorless, low-boiling, flammable, volatile liquid characterized by rapid evaporation and a faintly aromatic, sweetish odor. It is readily miscible in most organic solvents and completely miscible, in all proportions, in water. Acetone is one of the simplest aliphatic ketones, and is an excellent solvent for a wide range of gums, resins, waxes, fats, greases, oils, dyestuffs and cellulose. It is widely used as a chemical intermediate in the production of methyl isobutyl ketone and other solvents, and in the production of such important chemicals as bis-phenol-A and methyl methacrylate. It is also used in the manufacture of a wide variety of coatings and plastics.

## Physical and Chemical Properties

Typical Properties	Specifications	Test Method
Appearance	Clear water white liquid	Visual
Color, APHA	5 Max.	D-1209
Specific Gravity, 25°C/25°C (77°F/77°F)	0.7860 - 0.7890	D-4052
Specific Gravity, 20°C/20°C (68°F/68°F)	0.7910 - 0.7930	D-4052
Purity, Weight % (Wt. %)	99.5 Min.	GC*
Water, Wt. %	0.3 Max.	D-1364
Acidity as Acetic Acid, Wt. %	0.002 Max.	D-1613
Alkalinity, Wt. %	0.001 Max.	D-1614
Nonvolatile Matter, ppm	10 Max.	D-1353
Water Solubility	Miscible, distilled water	D-1722
Reducing Substances (Permanganate Time Test)	Color retains 120 min.	D-1363

\*GC = Gas Chromatography

The values presented in this data sheet are typical values and are not to be interpreted as product specifications.

### Contact AdvanSix

To learn more about acetone low water grade, visit

[AdvanSix.com/chemicalintermediates](http://AdvanSix.com/chemicalintermediates) or call:

**1-844-890-8949** (toll free, U.S./Can.)

**+1-973-526-1800** (international)

### AdvanSix

300 Kimball Drive, Suite 101  
Parsippany, NJ 07054

Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.



AdvanSix Caring™

May 2018-3, Printed in U.S.A.  
©2018 AdvanSix Inc. All rights reserved.