

# Phenol – High Purity Grade

## Description

**High-purity phenol** from AdvanSix is used for a variety of applications requiring exceptional quality and consistency. Common uses range from herbicides, pharmaceuticals, dyes and polycarbonates to automotive parts, optical media, glazing, can coatings, adhesives, electronic insulators, and in phenolic resins.

## Physical and Chemical Properties

Typical Properties	Specifications
CAS Number	108-95-2
Chemical Formula	C <sub>6</sub> H <sub>5</sub> OH
Other/Generic Names	Carbolic acid, monohydroxybenzene, hydroxybenzene, benzenol, phenylic acid, phenyl hydroxide, benzophenol, phenyl hydrate, phenylic alcohol, monophenol, phenic acid, oxybenzene
Appearance	Colorless to light pink solid, or white molten liquid
Physical State	Liquid or Solid
Molecular Weight	94.11
Odor	Characteristically sweet
Specific Gravity of Solid @ 25°C (77°F)	1.132
Specific Gravity of Liquid @ 41°C (105.8°F)	1.058
Specific Gravity of Liquid @ 50°C (122°F)	1.049
Specific Gravity of Liquid @ 60°C (140°F)	1.041
Vapor Density (Air = 1.0)	3.24
Viscosity of Liquid @ 45°C (113°F)	3.8 cSt
Viscosity of Liquid @ 60°C (140°F)	2.52 cSt
Viscosity of Liquid @ 80°C (176°F)	1.597 cSt
Threshold Limit Value (8 hours)	5 ppm (19 mg/m <sup>3</sup> )
Threshold (odor)	0.3 ppm
Weight per gallon @ 50°C (122°F)	8.75 lb
Water Solubility (miscibility), Weight % (Wt. %)	9.5 @ 25°C (77°F)
Flammable Limits	Lower limit approx. 1.5 %
Flash Point, Closed Cup	79°C (174.2°F)
Flash Point, Open Cup	85°C (185°F)
Autoignition Temperature	715°C (1319°F)

*Continued on page 2*

# Phenol – High Purity Grade

## Physical and Chemical Properties *(Continued)*

Typical Properties	Specifications
Boiling Point (760 mmHg)	181.8°C (359.2°F)
Freezing Point	40.9°C (105.6°F)
Hygroscopic	Yes
Light Sensitive	Yes
Reactivity	Stable
Storage	Shipped in water solutions to eliminate molten storage

## Product Specifications

Property	Specifications	Test Method
Appearance (Molten State)	Clear water white liquid	Visual
Appearance (Solid State)	White crystalline mass	Visual
Color, APHA, (Molten)	20 Max.	D-1686-96 (2003)el
Purity, Wt. %	99.6 Min.	D-6142
Water, Wt. %	0.03 Max. (at loading) 0.1 Max. (at receipt)	D-1631-99
Solidification Point, °C	40.6 Min.	D-1493-97

The values presented in this data sheet are typical values and are not to be interpreted as product specifications.

Page 2 of 2

### Contact AdvanSix

To learn more about phenol, visit

[AdvanSix.com/chemicalintermediates](http://AdvanSix.com/chemicalintermediates)

or call:

**1-844-890-8949** (toll free, U.S./Can.)

**+1-973-526-1800** (international)

Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

### AdvanSix

300 Kimball Drive, Suite 101  
Parsippany, NJ 07054



### AdvanSix Caring™

May 2018-4, Printed in U.S.A.  
©2018 AdvanSix Inc. All rights reserved.