

MEKO Methyl Ethyl Ketoxime

Description

Methyl ethyl ketoxime (MEKO) is a high-efficiency anti-skinning agent used for air-drying paints, inks and coatings. It is also used to improve the shelf life of silicone adhesives and sealants, and the functionality of polyurethane coatings. MEKO is produced to meet the low moisture and high assay standards that formulators require.

Physical and Chemical Properties

Typical Properties	Specifications
CAS Number	96-29-7
Chemical Formula	CH ₃ C(NOH)C ₂ H ₅
Other/Generic Names	2-Butanone Oxime
Appearance	Clear, colorless liquid
Molecular Weight	87.12
Odor	Ether-like odor
Specific Gravity	0.92 g/ml (H ₂ O = 1.0)
Solubility in Water	Slightly soluble
Boiling Point	152°C (306°F) @ 1,013 hPa
Melting Point	-29.5°C (-21.1°F)
Vapor Pressure	2.66 hPa @ 20°C (68°F)
Density	0.92 g/cm ³ @ 20°C (68°F)
pH	7.0 – 8.5 @ 20°C (68°F)
Flash Point	63°C (145°F)

Product Specifications

Assay	Specifications	Test Method
CH ₃ CNOHC ₂ H ₅	99.0% min.	99.6%
Methyl Ethyl Ketone	0.50% max.	0.13%
Sec-Butyl Alcohol	0.50% max.	0.07%
Water	0.25% max.	0.1%
Color, APHA	8 max.	2

The values presented in this data sheet are typical values and are not to be interpreted as product specifications.

Contact AdvanSix

To learn more about

MEKO methyl ethyl ketoxime, visit

AdvanSix.com/chemicalintermediates

or call:

1-844-890-8949 (toll free, U.S./Can.)

+1-973-526-1800 (international)

AdvanSix

300 Kimball Drive, Suite 101
Parsippany, NJ 07054

Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.



August 2019-4, Printed in U.S.A.
©2019 AdvanSix Inc. All rights reserved.