

Acetone

Description

Acetone (also known as dimethyl ketone and 2-propanone) is a clear, colorless, low-boiling, flammable, volatile liquid characterized by rapid evaporation and a faintly aromatic, sweetish odor. It is readily miscible in most organic solvents and completely miscible, in all proportions, in water. Acetone is one of the simplest aliphatic ketones, and is an excellent solvent for a wide range of gums, resins, waxes, fats, greases, oils, dyestuffs and cellulosics. It is widely used as a chemical intermediate in the production of methyl isobutyl ketone and other solvents, and in the production of such important chemicals as bis-phenol-A and methyl methacrylate. It is also used in the manufacture of a wide variety of coatings and plastics.

Physical and Chemical Properties

Typical Properties	Specifications
CAS Number	67-64-1
Chemical Formula	(CH ₃) ₂ CO
Other/Generic Names	Dimethylketone; 2-propanone; dimethylketal
Appearance	Clear water white liquid
Physical State	Liquid
Molecular Weight	58.08
Odor	Sweetish
Density @ 20°C (68°F)	6.63 lb/US gal
Dielectric Constant @ 25°C (77°F)	20.70
Specific Gravity (25°C/25°F) (77°F/77°F)	Not over 0.7880
Vapor Density (Air $= 1.0$)	2
Vapor Pressure @ 20°C (68°F)	181.7 mmHg (3.51 psi)
Viscosity @ 15°C (59°F)	0.3371 cP
Water Solubility (miscibility)	Soluble in all proportions in water
Threshold Limit (toxicity)	1000 ppm
Explosive Limits (by volume in air)	Lower: 2.6%, Upper: 12.8%
Flash Point, Closed Cup	-17.8°C (0°F)
Flash Point, Open Cup	-9°C (15.8°F)
Autoignition Temperature	465°C (869°F)
Boiling Point (760 mm)	56.1°C (133°F)
Melting Point (Freezing Point)	-94.6°C (-138°F)
Coefficient of Cubical Expansion	0.0015 ml/ml °C @ 55°C
Color	Colorless

The values presented in this data sheet are typical values and are not to be interpreted as product specifications.

Contact AdvanSix

To learn more about acetone, visit AdvanSix.com/chemicalintermediates or call: 1-844-890-8949 (toll free, U.S./Can.) +1-973-526-1800 (international)

not constitute any representation or warranty of AdvanSix Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.

Although AdvanSix Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does



August 2019-4, Printed in U.S.A. ©2019 AdvanSix Inc. All rights reserved.



AdvanSix 300 Kimball Drive, Suite 101 Parsippany, NJ 07054